



FerroTec FT 10

Locate ferromagnetic objects precisely, even at great depths



Reliable object location, even at great depths and in difficult conditions.

Fast and reliable results

with a maximum sensitivity of 3 nanotesla

Reliable locating

up to a max. depth of 15 m (depending on the mass of the object)

6 levels of sensitivity

Adapt the FerroTec FT 10 to the surrounding conditions.



Even more benefits for you:



Go to video object
location and valve
box locator:



- + Alternating field detection including identification of live cables
- + Convenient operation for effortless measurements in two display versions
- + Easily classify object sizes using field direction display
- + No distortion of measuring results due to non-ferrous objects (e.g. precious metals)
- + Protection class IP65

The FerroTec FT 10

FerroTec FT 10

Compact magnetometer
to quickly pinpoint
ferromagnetic objects



- + Pinpointing fittings
- + Locating concealed or covered up valve covers

Accessories

The right accessories give you access to the full potential of the FerroTec FT 10 – for increased efficiency, convenience and service life in daily use.

Carrying bag



- + Padded, zippered bag made of durable outer material

Chargers




- + Different models (mobile/stationary) – for workshop, office or vehicle

Valve box hammer



- + For opening valve box covers

Valve box lifter



- + For lifting valve box covers, magnetic

Reliable technology. Competent support.

Pipeline location with Sewerin

Interested in knowing the exact location of your supply lines in order to avoid damage, plan building work efficiently or accurately document your network? Our experienced specialists provide support with state-of-the-art location technology – for all pipe materials, including plastic pipelines. Whether using the electromagnetic locating method, the innovative SeViRO system or complementary acoustic methods: We will locate your pipelines safely and accurately. This is how we create the basis for reliable network planning, minimise risk during earthworks and help you sustainably protect your infrastructure.





Do you have questions? Call us.

Is the FerroTec FT 10 the right solution for your application? Let's talk. Our service and sales team will gladly help you choose the right device and accessories. We are there for you when you commission the device as well as afterwards.

Hermann Sewerin GmbH
Robert-Bosch-Straße 3
33334 Gütersloh | Germany
☎ +49 5241 934-0
✉ info@sewerin.com
sewerin.com

107308 – 09/2025
Subject to technical changes.