



## **VARIOTEC<sup>®</sup> 660**

Check pipelines in natural gas and hydrogen networks  
with one device

*while simultaneously  
measuring CH<sub>4</sub> and H<sub>2</sub>*



# Natural gas, hydrogen or hydrogen feed? Be ready for anything!

## Flexible working

Whether a natural gas network, purely H<sub>2</sub> network or H<sub>2</sub> feed into the natural gas network: the VARIOTEC® 660 is your reliable companion in the transformation of gas networks.

## Determine H<sub>2</sub> and natural gas content directly on site

Measurements can be taken in the % vol. range for different types of natural gas. This speeds up testing and provides clarity about the gas composition.

## Check pipe networks efficiently

The VARIOTEC® 660 responds extremely quickly to gas concentrations and indicates changes immediately.






## The VARIOTEC® 660



### VARIOTEC® 660

Gas detection and gas measurement



*The ethane analysis supports the user with automatic instructions on the device and provides a clear result for distinguishing between natural gas and swamp gas ( $CH_4$ ,  $C_2H_6$ ,  $C_3H_8$ ).*

#### Legend

 Detecting     Measuring

## **Accessories for your everyday work**

Whether you are detecting leaks, performing maintenance or calibrating – the right original accessories simplify your work and ensure smooth processes.

---

### **System case**

---



- + Everything you need for pipe network inspection

---

### **Carpet probe PRO**

---




- + For inspecting pipe networks on paved surfaces

---

### **Bell probe / telescopic bell probe**

---



- + For inspecting pipe networks on unpaved surfaces

---

### **Telescopic probe SeGAS GFK**

---



- + For checking exposed pipes that are difficult to access

---

### **Localisation probe PRO**

---



- + For locating when measuring in bar holes

---

### **Flex hand probe / telescopic hand probe**

---



- + Flexible leak detection for two-handed operation (length 360 mm or 450 to 930 mm)

---

### **Test sets & gases**

---




- + For standardised calibration

---

### **Powerful GasCom software**

---



- + Convenient readout of the recorded measured values and extensive device configuration



## ***Questions? Give us a call.***

Is the VARIOTEC® 660 right for your challenge? Let's talk. Our service and sales team will be happy to help you select the right device. We are also there to support you when commissioning the device and afterwards.

Hermann Sewerin GmbH  
Robert-Bosch-Straße 3  
33334 Gütersloh | Germany  
☎ +49 5241 934-0  
✉ [info@sewerin.com](mailto:info@sewerin.com)  
🌐 [sewerin.com](http://sewerin.com)

109697 – 02/2026  
Subject to technical changes.