



## Test gas can

100 % vol. propane

### Safety Data Sheet in compliance with Regulation (EC) No 1907/2006 (as amended by Regulation (EU) No 878/2020)

Safety data sheet no:	108082		
Version:	5	Replaces version:	4
Creation date:	12.09.2025	Valid from:	22.09.2025

#### 1. Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Substance name/trade name: Test gas, 100 % vol. C<sub>3</sub>H<sub>8</sub> in pressurised gas pack

 Product code:
 ZT22-10001

 Index no:
 601-003-00-5

 EC no:
 200-827-9

 CAS no:
 74-98-6

REACH registration no: 01-2119486944-21

Unique formula identifier (UFI) Not applicable for gases under pressure in accordance with Annex VIII to

Regulation (EC) No 1272/2008 (amended by (EU) 2017/542).

Other means of identification: Test gas can 100 % vol. C<sub>3</sub>H<sub>8</sub>, Test gas 100 % vol. C<sub>3</sub>H<sub>8</sub>

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Industrial and professional.

Which are not recommended: ---

#### 1.3 Details of the supplier of the safety data sheet

Manufacturer/supplier: Hermann Sewerin GmbH

Address: Robert-Bosch-Straße 3, D – 33334 Gütersloh

Email: info@sewerin.com
Telephone: +49 (0)5241 934-0

Emergency telephone no: +49 (0)5241 934-330 (office hours)

#### 2. Hazards identification

#### 2.1 Classification of the substance or mixture

Classification in accordance with Regulation (EC) No 1272/2008,

Extremely flammable aerosol (H222).

Annex VII:

#### 2.2 Label elements in accordance with Regulation (EC) No 1272/2008

Pictogram/hazard symbol:

Signal word/indication of danger: Danger.

Hazard statements (H statements) H222: Extremely flammable aerosol.

H229: Pressurized container: may burst if heated.

Precautionary statements (P

statements)

P210: Keep away from heat, hot surfaces, sparks, open flames and other

ignition sources. No smoking.

P211: Do not spray on an open flame or other ignition source.

P251: Pressurized container: Do not pierce or burn, even after use. P410+P412: Protect from sunlight. Do not expose to temperatures

exceeding 50 °C / 122 °F.

2.3 Other hazards

Other hazards Asphyxiating in high concentrations. These elevated concentrations are

within the ignition range.

#### 3. Composition/information on ingredients

#### 3.1 Substance

Substance name: Propane

 Concentration:
 100 %

 Index no:
 601-003-00-5

EC no: 200-827-9 CAS no: 74-98-6

3.2 Mixture ---

#### 4. First aid measures

#### 4.1 Description of first aid measures

Inhalation: In high concentrations may cause asphyxiation. Symptoms may include loss

of mobility and consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self-contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial

respiration if breathing has stopped.

Skin contact: Skin contact is not considered a potential route of exposure.

Eye contact: Eye contact is not considered a potential route of exposure.

Ingestion: Ingestion is not considered a potential route of exposure.

#### 4.2 Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed:

Asphyxiation, loss of mobility and consciousness.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Indication of any immediate medical attention and special treatment needed Apply artificial respiration if breathing has stopped.

#### 5. Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media: Any known extinguishing media may be used.

Unsuitable extinguishing media: None known.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards: Exposure to fire may cause containers to rupture/explode.

Hazardous combustion products: Incomplete combustion may form carbon monoxide.

#### 5.3 Advice for firefighters

Specific methods: Move away from container and cool with water from a protected position. Do

not extinguish a leaking gas flame unless absolutely necessary.

Spontaneous, explosive reignition may occur. Extinguish any other fire.

Special protective equipment for

firefighters:

In confined spaces use self-contained breathing apparatus.

Indication of any immediate medical attention and special treatment needed:

Apply artificial respiration if breathing has stopped.

#### 6. Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions, protective equipment and emergency procedures:

Clear the area. Ensure adequate air ventilation. Wear self-contained breathing apparatus when entering area unless atmosphere is proved to be safe. Eliminate ignition sources.

#### 6.2 Environmental precautions

Environmental precautions: Try to stop gas release.

#### 6.3 Methods and material for containment and cleaning up

Methods and material for containment and cleaning up:

Ventilate area.

#### 6.4 Reference to other sections

Reference to other sections:

---

#### 7. Handling and storage

#### 7.1 Precautions for safe handling

Measures to prevent fire and explosion:

Purge air from system before introducing gas.

Take precautionary measures against static discharges.

Open valves slowly to prevent pressure spikes. Do not allow water to enter the container.

Do not allow backfeed into the container.

Use only equipment that is suitable for this product, its supply pressure and

temperature.

Keep away from ignition sources, including static discharges. Secure pressure vessels (pressure cylinders) to prevent them from overturning.

Measures to prevent dust and

aerosol generation:

Measures to protect the

environment:

General hygiene precautions:

#### 7.2 Conditions for safe storage, including any incompatibilities

Information on storage conditions: Segregate from oxidising gases and other oxidising substances.

Store containers below 50 °C in a well-ventilated location.

Secure pressure vessels (pressure cylinders) to prevent them from

overturning.

Requirements for storage areas

and containers:

#### 7.3 Specific end use(s)

Industry or sector-specific guidance:

#### 8. Exposure controls/personal protection

#### 8.1 Control parameters

#### **Occupational exposure limits for Germany**

Substance name, CAS no: Propane, 74-98-6

Specification: **TRGS 900** 

Value: 1800 mg/m<sup>3</sup>, 1000 ppm

Acceptable peak concentration:

Teratogenic:

Monitoring procedures:

**DNEL and PNEC values** 

Substance name, CAS no: Specification:

Value:

#### Control banding (e.g. ILO, EMKG)

Relevant parameters/classification: ---Relevant protection guidelines: Value:

#### 8.2 Exposure controls

#### 8.2.1 Appropriate engineering controls:

Provide general and local ventilation/extraction to keep concentrations below explosion limits and/or to comply with occupational exposure limits (where applicable).

#### 8.2.2 Individual protection measures, such as personal protective equipment:

Ensure adequate ventilation.

No smoking when handling the product.

#### 8.2.3 Environmental exposure controls:

---

#### 9. Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Appearance, state of aggregation: Gas.

Colour: Colourless gas.

Odour: Sweet. Barely perceptible in low concentrations.

75 mg/l

Melting point: -188 °C

Boiling point: -42.1 °C

Vapour pressure: 8.3 bar

Relative density, gas (air =1): 1.5

Flammability range: 1.7 % vol. to 10,8 % vol.

Ignition temperature: 470 °C

9.2 Other information

Solubility in water:

Molecular weight: 44
Critical temperature: 96,7 °C

#### 10. Stability and reactivity

10.1 Reactivity			
Reactivity:	Unreactive under normal temperature and pressure conditions.		
10.2 Chemical stability			
Chemical stability:	Stable under normal temperature and pressure conditions.		
10.3 Possibility of hazardous rea	ctions		
Possibility of hazardous reactions:	None.		
10.4 Conditions to avoid			
Conditions to avoid:	Keep away from heat/sparks/open flames/hot surfaces. No smoking.		
10.5 Incompatible materials			
Incompatible materials:	Can form an explosive mixture with air. Can react vigorously with oxidising substances. Air, oxidising agents.		
10.6 Hazardous decomposition p	products		
Hazardous decomposition products:	None.		

#### 11. Toxicological information

# 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on toxicological There are known no toxic effects associated with this product. effects: 11.2 Information on other hazards Other hazards: None.

#### 12. Ecological information

12.1 Toxicity				
Toxicity:	This product does not cause any environmental pollution.			
12.2 Persistence and degradability				
Persistence and degradability:	No data available.			
12.3 Bioaccumulative potential				
Bioaccumulative potential:	No data available.			
12.4 Mobility in soil				
Mobility in soil:	No data available.			
125 Results of PBT and vPvB a	assessment			
Results of PBT and vPvB assessment:	No data available.			
12.6 Endocrine disrupting prope	erties			
Endocrine disrupting properties:	The substance or mixture does not have any endocrine-disrupting properties.			
12.7 Other adverse effects				
Other adverse effects:	When discharged in large quantities may contribute to the greenhouse effect.			

#### 13. Disposal considerations

40.4 Masta transfer out mostle ada		
13.1 Waste treatment methods		
Waste treatment methods:	Do not discharge into areas where there is a risk of forming an explosive gas/air mixture.  Prevent runoff into sewerage systems, cellars, working pits and similar places where accumulation of the gas could be dangerous. Contact supplier if guidance is required.	
Treatment of contaminated packaging:	Contact supplier for special recommendations. Recycling: 15 01 04 Metallic packaging.	
Waste code in accordance with the German Waste Ordinance (AVV):	16 05 04 – Gases in pressure containers (including halons) containing dangerous substances.	
Special precautions:		
Relevant EU or other provisions:		
13.2 Additional Information		

#### 14. Transport information

#### 14.1 UN number or ID number

UN number: UN 1950

#### 14.2 UN proper shipping name

Surface transport (ADR/RID): AEROSOLS Transport by sea (IMDG): AEROSOLS

Air transport (ICAO-TI/IATA-DGR): AEROSOLS, flammable

#### 14.3 Transport hazard class(es)

Transport hazard class surface

transport (ADR/RID):

Transport hazard class by sea

(IMDG):

Transport hazard class air

transport (ICAO-TI/IATA-DGR):

Surface transport

Classification under ADR/RID

regulations:



2

2

2.1

Classification under ADR/RID LQ:



2.5F LQ: 30 kg

Special provisions: 190, 327, 344, 625

Classification code: 5 F

Tunnel restriction: D: Passage forbidden through tunnels of categories D and E

Transport by sea

Classification: 2.1

EMS: F-D, S-U

Air transport

Classification: 2.1

Packaging instruction: Y203, 203

#### 14.4 Packing group

Surface transport (ADR/RID): Not applicable.

Transport by sea (IMDG): Not applicable.

Air transport (ICAO-TI/IATA-DGR): Not applicable.

#### 14.5 Environmental hazards

Surface transport (ADR/RID): Not a marine pollutant.

Transport by sea (IMDG): Not a marine pollutant.

Air transport (ICAO-TI/IATA-DGR): Not a marine pollutant.

#### 14.6 Special precautions for user

Other transport information: Ensure that the valve lock nut is correctly fitted.

Ensure adequate ventilation.

Ensure compliance with applicable regulations.

#### 14.7 Maritime transport in bulk according to IMO instruments

Maritime transport in bulk: Not applicable.

#### 15. Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

European requirements: Directive 2013/10/EU, 2008/47/EC, amendment of the aerosol dispenser

directive 75/324/EEC.

Regulation EG No. 1907/2006 (REACH). Regulation EG No. 1272/2008 (CLP).

Ensure compliance with all national and local regulations.

#### 15.2 Chemical safety assessment

Chemical safety assessment: A chemical safety assessment does not need to be prepared for this

product.

#### 16. Other information

Changes to the previous version: Revision, numbering subsections.

Training for employees: www.industriegaseverband.de

http://www.eiga.org/

Conversion of units: 0.001 % vol. = 10 ppm

Further information: The risk of asphyxiation is often overlooked and must be stressed during

operator training. Before using the product in any new process or

experiment, a thorough material compatibility and safety study should be

carried out.

This information does not imply a contractual confirmation of product

characteristics. It is based on current knowledge.

Subject to technical changes.