

# **Safety Data Sheet**

## Test gas can 60 % vol. methane, 20 % vol.

## carbon dioxide

# Safety Data Sheet in compliance with Regulation (EC) No 1907/2006 (as amended by Regulation (EU) No 878/2020)

Safety data sheet no:	108202		
Version:	4	Replaces version:	3
Creation date:	14.12.2023	Valid from:	20.12.2023

1. Identification of the substance/mixture and of the company/undertaking		
Product identifier		
Substance name/trade name:	Test gas, nitrogen with 60 % vol. $CH_4$ , 20 % vol. $CO_2$ in pressurised gas pack.	
Product code:	ZT48-10000	
Index no:		
EC no:		
CAS no:		
REACH registration no:	Listed in Annex IV/V REACH, exempted from registration.	
Unique formula identifier (UFI)	Not applicable for gases under pressure in accordance with Annex VIII to Regulation (EC) No 1272/2008 (amended by (EU) 2017/542).	
Other means of identification:	Test gas can $60\%$ CH <sub>4</sub> /20%CO <sub>2</sub> , Test gas $60\%$ CH <sub>4</sub> /20%CO <sub>2</sub>	
Identified uses:	Industrial and professional.	
Which are not recommended:		
Details of the supplier of the safety data sheet		
Manufacturer/supplier:	Hermann Sewerin GmbH	
Address:	Robert-Bosch-Straße 3, D – 33334 Gütersloh	
Email:	info@sewerin.com	
Telephone:	+49 (0)5241 934-0	
Emergency telephone no:	+49 (0)5241 934-330 (office hours)	

### Hermann Sewerin GmbH I Robert-Bosch-Straße 3 I 33334 Gütersloh, Germany I www.sewerin.com I info@sewerin.com

#### 2. Hazards identification

#### Classification of the substance or mixture

#### Label elements in accordance with Regulation (EC) No 1272/2008

Pictogram/hazard symbol:	
Signal word/indication of danger:	Danger.
Hazard statements (H statements)	H222: Extremely flammable aerosol.
	H229: Pressurized container: may burst if heated.
Precautionary statements (P statements)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
	P211: Do not spray on an open flame or other ignition source.
	P251: Pressurized container: Do not pierce or burn, even after use.
	P410+P412: Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}$ C / 122 $^{\circ}$ F.
Other hazards	
Other hazards	Asphyxiating in high concentrations. These elevated concentrations are within the ignition range.

#### 3. Composition/information on ingredients

Substance/mixture:	Mixture
Substance, component A:	Methane
Concentration, component A:	60 %
Index no, component A:	601-001-00-4
EC no, component A:	200-812-7
CAS no, component A:	74-82-8
Substance, component B:	Carbon dioxide
Concentration, component B:	20 %
Index no, component B:	
EC no, component B:	204-696-9
CAS no, component B:	124-38-9
Substance, component C:	Nitrogen
Concentration, component C:	20 %
Index no, component C:	

EC no, component C:	231-783-9
CAS no, component C:	7727-37-9

#### 4. First aid measures

#### Description of first aid measures

Inhalation:	In high concentrations may cause asphyxiation. Symptoms may include loss of mobility and consciousness. Victim may not be aware of asphyxiation. Remove victim to uncontaminated area wearing self-contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing has stopped.
Skin contact:	Skin contact is not considered a potential route of exposure.
Eye contact:	Eye contact is not considered a potential route of exposure.
Ingestion:	Ingestion is not considered a potential route of exposure.

#### Most important symptoms and effects, both acute and delayed

Most important symptoms and effects, both acute and delayed:	Asphyxiation, loss of mobility and consciousness.
--	---

#### Indication of any immediate medical attention and special treatment needed

Indication of any immediate	Apply artificial respiration if breathing has stopped.
medical attention and special	
treatment needed	

5. Firefighting measures		
Extinguishing media		
Suitable extinguishing media:	Any known extinguishing media may be used.	
Unsuitable extinguishing media:	None known.	
Special hazards arising f	from the substance or mixture	
Specific hazards:	Exposure to fire may cause containers to rupture/explode.	
Hazardous combustion products:	Incomplete combustion may form carbon monoxide.	
Advice for firefighters		
Specific methods:	Move away from container and cool with water from a protected position. Do not extinguish a leaking gas flame unless absolutely necessary. Spontaneous, explosive reignition may occur. Extinguish any other fire.	
Special protective equipment for firefighters:	In confined spaces use self-contained breathing apparatus.	
Indication of any immediate medical attention and special treatment needed:	Apply artificial respiration if breathing has stopped.	

#### 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

Personal precautions,	Clear the area. Ensure adequate air ventilation. Wear self-contained
protective equipment and	breathing apparatus when entering area unless atmosphere is
emergency procedures:	proved to be safe. Eliminate ignition sources.

#### **Environmental precautions**

---

#### Methods and material for containment and cleaning up

Methods and material for containment and cleaning up:

Ventilate area.

#### **Reference to other sections**

Reference to other sections:

#### 7. Handling and storage

#### Precautions for safe handling

Measures to prevent fire and explosion:	Purge air from system before introducing gas. Take precautionary measures against static discharges. Open valves slowly to prevent pressure spikes. Do not allow water to enter the container. Do not allow backfeed into the container. Use only equipment that is suitable for this product, its supply pressure and temperature. Keep away from ignition sources, including static discharges. Secure pressure vessels (pressure cylinders) to prevent them from overturning.
Measures to prevent dust and aerosol generation:	
Measures to protect the environment:	

General hygiene precautions: ---

#### Conditions for safe storage, including any incompatibilities

Information on storage conditions:	Segregate from oxidising gases and other oxidising substances. Store containers below 50 °C in a well-ventilated location. Secure pressure vessels (pressure cylinders) to prevent them from overturning.	
Requirements for storage areas and containers:		
Specific end use(s)		
Industry or sector-specific guidance:		

8. Exposure controls/pe	rsonal protection	
Control parameters		
Occupational exposure limits	s for Germany	
Substance name, CAS no:	Carbon dioxide, 124-38-9	
Specification:	TRGS 900	
Value:	9100 mg/m³, 5000 ppm	
Acceptable peak concentration:	2	
Teratogenic:		
Monitoring procedures:		
DNEL and PNEC values		
Substance name, CAS no:		
Specification:		
Value:		
Control banding (e.g. ILO, EMKG)		
Relevant parameters/classification:		
Relevant protection guidelines:		
Value:		
Exposure controls		
Appropriate engineering controls:	Provide general and local ventilation/extraction to keep concentrations below explosion limits and/or to comply with occupational exposure limits (where applicable).	
Individual protection measures, such as personal protective equipment:	Ensure adequate ventilation. No smoking when handling the product.	
Environmental exposure controls:		

#### 9. Physical and chemical properties

#### Information on basic physical and chemical properties

Appearance, state of aggregation:	Gas.
Colour:	Colourless gas.
Odour:	No perceptible odour.
Melting point:	
Boiling point:	
Vapour pressure:	Not applicable.
Relative density, gas (air =1):	Density similar to air

Solubility in water:	Methane (component A): 26 mg/l Carbon dioxide (component B): 2000 mg/l Nitrogen (component C): 20 mg/l	
Flammability range:	Methane (component A): 4.4 % vol. to 16.5 % vol.	
Ignition temperature:	Methane (component A): 595 °C	
Other information		
Molecular weight:		
Critical temperature:		

10. Stability and reactivity		
Reactivity		
Reactivity:	Unreactive under normal temperature and pressure conditions.	
Chemical stability		
Chemical stability:	Stable under normal temperature and pressure conditions.	
Possibility of hazardous reactions		
Possibility of hazardous reactions:	None.	
Conditions to avoid		
Conditions to avoid:	Keep away from heat/sparks/open flames/hot surfaces. No smoking.	
Incompatible materials		
Incompatible materials:	Can form an explosive mixture with air. Can react vigorously with oxidising substances. Air, oxidising agents.	
Hazardous decomposition products		
Hazardous decomposition products:	None.	

#### 11. Toxicological information

# Information on hazard classes as defined in Regulation (EC) No 1272/2008 Information on toxicological effects: There are no known toxic effects associated with this product. Information on other hazards: None.

12. Ecological information	
Toxicity	
Toxicity:	This product does not cause any environmental pollution.

Persistence and degradability		
Persistence and degradability:	No data available.	
Bioaccumulative potential		
Bioaccumulative potential:	No data available.	
Mobility in soil		
Mobility in soil:	No data available.	
Results of PBT and vPvB assessment		
Results of PBT and vPvB assessment:	No data available.	
Endocrine disrupting properties		
Endocrine disrupting properties:	The substance or mixture does not have any endocrine-disrupting properties.	
Other adverse effects		
Other adverse effects:	When discharged in large quantities may contribute to the greenhouse effect.	

13. Disposal considerations	
Waste treatment methods	
Waste treatment methods:	Do not discharge into areas where there is a risk of forming an explosive gas/air mixture. Prevent runoff into sewerage systems, cellars, working pits and similar places where accumulation of the gas could be dangerous. Contact supplier if guidance is required.
Treatment of contaminated packaging:	Contact supplier for special recommendations. Recycling: 15 01 04 Metallic packaging.
Waste code in accordance with the German Waste Ordinance (AVV):	16 05 04 – Gases in pressure containers (including halons) containing dangerous substances.
Special precautions:	
Relevant EU or other provisions:	

14. Transport information	
UN number or ID numbe	r
UN number:	UN 1950
UN proper shipping nam	e
Surface transport (ADR/RID):	AEROSOLS
Transport by sea (IMDG):	AEROSOLS
Air transport (ICAO-TI/IATA- DGR):	AEROSOLS, flammable
Transport hazard class(	es)
Transport hazard class surface transport (ADR/RID):	2
Transport hazard class by sea (IMDG):	2
Transport hazard class air transport (ICAO-TI/IATA- DGR):	2
Surface transport	
Classification under ADR/RID regulations:	2.1
Classification under ADR/RID LQ:	2.5F LQ: 30 kg Special provisions: 190, 327, 344, 625
Classification code:	5 F
Tunnel restriction:	D: Passage forbidden through tunnels of categories D and E
Transport by sea	
Classification:	2.1
EMS:	F-D, S-U
Air transport	
Classification:	2.1
Packaging instruction:	Y203, 203
Packing group	
Surface transport (ADR/RID):	Not applicable.
Transport by sea (IMDG):	Not applicable.

Air transport (ICAO-TI/IATA- DGR):	Not applicable.	
Environmental hazards		
Surface transport (ADR/RID):	Not a marine pollutant.	
Transport by sea (IMDG):	Not a marine pollutant.	
Air transport (ICAO-TI/IATA- DGR):	Not a marine pollutant.	
Special precautions for user		
Other transport information:	Ensure that the valve lock nut is correctly fitted. Ensure adequate ventilation. Ensure compliance with applicable regulations.	
Maritime transport in bulk according to IMO instruments		
Maritime transport in bulk:	Not applicable.	

#### 15. Regulatory information

# Safety, health and environmental regulations/legislation specific for the substance or mixture

European requirements:	Directive 2013/10/EU, 2008/47/EC, amendment of the aerosol dispenser directive 75/324/EEC. Regulation EG No. 1907/2006 (REACH). Regulation EG No. 1272/2008 (CLP).
	Ensure compliance with all national and local regulations.
Chemical safety assessment	

Chemical safety assessment:	A chemical safety assessment does not need to be prepared for this product.
-----------------------------	---

16. Other information	
Changes to the previous version:	Revision according to Regulation (EU) No. 878/2020.
Training for employees:	www.industriegaseverband.de http://www.eiga.org/
Conversion of units:	0.001 % vol. = 10 ppm
Further information:	The risk of asphyxiation is often overlooked and must be stressed during operator training. Before using the product in any new process or experiment, a thorough material compatibility and safety study should be carried out. This information does not imply a contractual confirmation of product characteristics. It is based on current knowledge.

108202 – 20.12.2023 – Subject to technical changes.